######
(###)

########## ########
#######: 43126

######### ##### © 2001, 2002, 2003 ######## ######### ##########, ###.

##########
######## ## # ####### ########## ############, ########
######## ######## ## ####### ##########, ###. # ###### #####
#66001#01###8035 # #####/###### (#######),
#####.

####### ### ################# ######## ##### #######
##########.

########.

#####, ###/1 # #### ### ################# ######## #####, #
#
########## ###### # ###### #######.

###, ### ############, ####, #### ####### #######, ###, ###, ###,
###, #####, #######, ##########, ##### ### ######## ##### ###
################# ######## ##### ### ############, ###. #
########## ###### # ###### #######.

##########, ############ ############### # ###–
####### ### ########## ##### #########, ########## # ##–
#####. ##### ##### ########## ##########
#########, # ####### ####### ######## # ######## #####,
########## ########## #### ### ### ###.
2013#11#07 #####.

#########

#########, ####### # ##–
(###
######### ############## #######), # ##############, ### ##–
####### ###, ### ############# ### # ########## # ### #####–
###.

##########

1. ######## 2
2. ####### # ########## 2
3. ###### ### 6
4. ######### ### 10
5. ###### ### ## ####### 13
6. ################ ########## # ### 16
7. ################ ###### ### 17
#. ###### ############## 17
#. ###### ########## 21
#. ###### ####### ############## ### 24
############## ########## 26

1.

########## ######### ############## ####### (###) ######## ########## ### ### #####, ######### # ###############, ####### ######### ########## ##########–#### ######### ##### ###### ############## ####### ########## ##### ####### ###, # ######## ######## ############## ########## ############## #######–######### ######.

1995 ####, # ### ## ###### ## #######. # 1997 #### #### ##### ############ ########–####### ############ ## #/#### ###### ####### (####), ### ############### ### ### ### # ######## ########## ### ########### (### ########## ###############) #######. ## ###### ######### ##### ######### ### ############ ### ## #### ###–#### ## ########.

5.#, # ####### ############ #######, ### ######## ### ####### 4.#, ############ #########, # ###### ############ ##–####, #####, ### ##### # #######™.

2. ####### #

2.1.

############, ############ # ###, ########## ########. ## ############ ###### ##### # ###, ## ############ #### ## ###### ####### ####### ######### ########## ####### ### ######### ######## # ########## # ### ######, # #######, ####### ### ########## (## ## ##########) ###### ####### # ############. ###### #####–### ####### ############### # ############ ############ #### ######, ####### ####### ###### #. ###### (##### #########) # 1999 ####. #### ##### ############,

####### ###### ######, ### ########## ####### ######, ###, ## ###### ###### ###–### ######, ## ######## ## ############. ##### ######## #######, # #########–### ####### ## ###### ###### #######, #### ###### # ############### ########### ######## ### #### ########## # ######## ###.

####### ###### (#######)	##### ##########, ####### ######### #######–#### ## ###########.
######### (#########)	############ ### ######, ############## ##############.
########## (##########)	############ ### ######, ####### ##########, ########### ### ######## ########## #####–##### # ##### ########### ### ######### ##–####.
####### (#####)	################## #######, ####### ##### ####### # ##### ## ###### ###. # ####### ####–#### ########## # ################## ####–### #######, ##########, ####### ##### ## ##–######, # # ###, ### ################ ######–####.
###### (######)	##########, ########## ## ############## ##–##### ## ############## ## ##### ########## # ########## ## #### ########### ### #########–##### ##########.
########## (########)	#### ## ####### ######## ##### ##############–###, ####### #### ###: ###############, #####–##### ######## ########, ########## ####### # ########## ###### ###############.
###### (######)	##### ## ##### ### ######## ########## ######### ######, ########### #########–### ########## ###############, ######### # #### (###### ########### ###########) #####–### ####, ################ ## #####.
######## (######)	###### ##### ################ ##########, ###########, ### ############ ####### ### # ############ ######. ######## ###### ######## ## ####### #######, ## ##### ### ###### #####–#####, #### ######### ###### ########## ## ###### ##########.

###### (######)	##########, ########## ## ##### ########## ### ####### # ########, ############ #######–########## ##########, ######## ########## ########## # ############## ### ########## ######.
###### (#######)	##### ########, ############### ####### ### ######### ################, # ######### ##–###### ##############. ######## ### ######–## ## ###### ########, ### ### ## #### #####–###, ########## #### # #### ### #######, ##### ########## #### # ## ## ########.
##### (#######)	########, # ####### ###### ########## #####–##### ########. #### ## ####### ######### ###, ########## #######, ######## ############# ######### # ####### ##### #########.
#### (#####)	#### ##########, ######### # ####### #######, ########, ###### ### ######## #####, ####### ######### ###### ########## ### ##### ####–#########.
########## (##########)	################## ######## ## ###### # #### ## ########## # ###### # #### ## ##########–## ## ###### #######, ####### # ############## # ############ ###### # ########## ######### ######.

2.2. #######

########, ######–###### ####, ### ###### ####### ########.

2.2.1. ############ ###### #

alice, ########## ####### ##(1) ### ####, ##### ##### ############ root.

```
% whoami
alice
% ls –l `which su`
-r-sr-xr-x  1 root  wheel  10744 Dec  6 19:06 -/usr/bin/su
% su --
Password: xi3kiune
# whoami
root
```

- ########## ######## alice.
- ####### ####### ######## root.
- ####### ##(1) ######## ### ########, ### # ########.
- ################## ###### ######## xi3kiune.
- ############ ######### root, # ###### ####### # ####### ##(1) ######### ### ##–
  ######## # ####### root.

2.2.2. ###### # ######

eve, ########## ########## ###(1)#
########## # login.example.com, # ####### ##### ### ############ bob. ### ###### ###
####### ###### #######!

```
% whoami
eve
% ssh bob@login.example.com
bob@login.example.com's password: god
Last login: Thu Oct 11 09:52:57 2001 from 192.168.0.1
Copyright (c) 1980, 1983, 1986, 1988, 1990, 1991, 1993, 1994
        The Regents of the University of California.  All rights reserved.
FreeBSD 4.4-STABLE (LOGIN) #4: Tue Nov 27 18:10:34 PST 2001

Welcome to FreeBSD!
%
```

- ########## ######## eve.
- ######## ######## ####### ###(1) ############ ###.
- ######## ######## ####### ####(8) ## ###### login.example.com
- ####### ####### ######## bob.
- ###### ############## ######## god.
- #### ##### ## ##### # #######, ## ############ ######## root.

2.2.3. ######

######### ######## #########, ############ ## ####### ## ######### ### sshd:

```
sshd   auth        required      pam_nologin.so  no_warn
sshd   auth        required      pam_unix.so     no_warn try_first_pass
sshd   account     required      pam_login_access.so
sshd   account     required      pam_unix.so
```

```
sshd   session        required       pam_lastlog.so  no_fail
sshd   password       required        pam_permit.so
```

- ### ######## ########## # ###### sshd (### ## ########## ########## ######## ####(8)).
- auth, account, session # password ######## ############.
- pam_nologin.so, pam_unix.so, pam_login_access.so, pam_lastlog.so # pam_permit.so ######## ######–##. ## ##### ####### #####, ### pam_unix.so ######### ## ####### #### ### #####–##### (############## # ########## ######## ########).

3. ######

3.1. ########## #

##############, ############### # ###### ##########, ###### ## ####### ########## ####.

auth

##############. ### ##########, ########## ######, ######### ##########–### ########## # ######### ########## ####### ######. ### ############# ### #########:

- ####### ###_############(3) ############### ##########, ###### #####–##### ################## #### # ######### ### ## #########, ########## # #### ###### ### ########## ## ####### ###############.
- ####### ###_#######(3) ############# ########## ####### ######, #####, ### ############# ############, ######## # ####### # ########## ## ##–########## ########.

account

########## ####### #######. ### ########## ########### ####### ########–### ####### ######, ## ######### # ###############, #####, ### ########### # ####### ## ###### ####### ##### ### ######## #######. ## ############ ########### ########:

- ####### ###_####_####(3) #########, ######## ## ############ ####### ######.

session

########## #######. ### ########## ########### ######, ######### # ####–######### # ######### ######, #####, ### #### ###### #############. ### ############# ### #########:

############ ###### ###############
(###)

- ####### ###_####_#######(3) ######### ########, ######### # #########–#### ######: ########## ####### # #### ###### utmp # wtmp, ###### ###### ### # ### #####.

- ####### ###_#####_#######(3) ######### ########, ######### # #######–## ######: ########## ####### # #### ###### utmp # wtmp, ########## ###### ###### ### # ### #####.

password
: ########## #######. ### ########## ############ ### ######### ##### #####–#########, ########## # ####### #######, ## ####### ######### ### ##### ######## ### ####### ############ ######## ###. ### ############# ####–######## ########:

- ####### ###_#########(3) ######## #### ##############, ########### ###–#####, ### ## ###### ### #######, ## ############# ##### # ### #####.

3.2.

###; # ##### ######, ## ###########–## ##### ### # ########## #####. ###### ### ############ ##### ############### ##### ############ ####, ####### ######### ######### ##### ### ######## ####–###### ######### ###### ########### #########; # ######### ########## ### ###–####### ##############, # #######, ######### #### ###### ####### ####®, #####–## ###, #### ### ######.

3.2.1. ##########

pam_mechanism.so (########, pam_unix.so ### ######### ####®.) # ###### ########### ###### ######### ###### ############ ### ###### #########, # # ## ### ######–####, ##### ######## #########, # ### ##########. # #######, # #######™ ####### ###### pam_dial_auth.so.1, ####### ##### ############ ### ############## ########–#####, ########## ## ############# ####### #####.

3.2.2. ######

########### ########## ### ## #######, ####### #### ######## ## #########, ## ############ ###### ###### ### ####### ###. ### ##### ######### # ######### ### ###### ############## ##########, ####### ##### #### ############ ## ####### ######## ######### #########, ### ### ####### ########## ############### ###–### ######### ####### ###.

#######, # ###### #######, #### ######, ####### ##### ### ## ##### ##### ######, ### # ########## ### (## ###### ###### 2), # ########## ###### ### ######, ###### #### ###### # ######### ####### ## ### ########. ######## ### ###### ##########

######, ### #### ##### (### ###### ###########) ########## ##### ############ ### ########## ######### ###### #######.

#######™ ##### ##### ######, ############# ##### ###### # ### ## #############, ###### ### ##### ######## ###### ##### # ###### ########## # ############.

3.3. ####### #

##############, ########## ### ######## ######### ##–###### ### ######, ######### ### ###### ######## ###_#####(3). ######## ######–####, ### ###### ############## ######## ## ##############, # ######## # #####–########## #####. ### ########## ###### ################ ######### ###: ###–######## ############## ########## ######## ############ ####### (# ##### ####### ## #########) ####### ############### ########## #####.

######## ####### ## ####### #######, ## ##### ## ###### ## ####### ###. ###–### ##### ############ ##### ################## ################ ########–###, ######## ########## ######, ######### (###############) ######### ### ##–###### # ######, # ########### ####, ###########, ### ################ ######–###### ## ###### ###.

######### ###### ############ ##### ########## ### ######### ############–### ###### ###. ########## ###### ######### ########### #####:

binding
: #### ###### ######### #######, # ## #### ## ########## ######## # ######## ## ######## ############, ## ######## ###########, # ###### ##############. #### ## ###### ########## ########, ## ########### ########## ##### #####–##, ###### ###### ###########.

  #### ########### #### ### ######## ######### ### # #######™ 9 (#####™ 5.9), # ############## # #######.

required
: #### ###### ######### ############## #####, ########### ########## ##### #######, ###### ###############, #### ######## ###### ###### ## ########## ############. #### ## ###### ######### ############## #####, ######## #####–## #### ###############, ## ###### ###########.

requisite
: #### ###### ########## ############## #####, ########### ########## ##### #######, ###### ###############, #### ######## ###### ###### ## ########## ############. #### ## ###### ############ ############, ## ######### ##–##### ########## ############, # ###### ###########.

sufficient

#####, # ## #### ## ########## ####### # ####### ## ######### ############, ## ######### ####### ########## ###–#########, # ###### ###############. #### ###### ######### ############, ## ######### ############ # ####### ############## ######.

##########, ######## ### ### ############# # ######### ####### # #######, ############# ###### #### ##–########## ########### #### binding, #### ########## ### ############.

optional

##############, ## ######### ########## ############. #### ### ##–#### # ####### ######## ### optional, ## ############### ##### ### #######.

##############, ### ########### ####### ##########, # ####### ########### ########, # ######### ###### ######, #######–###### # ####### # ####### ## ############, #### ###### ## ##### ######## ##–## ## ##### ##########, ### ########## ######### ## ##### (## ####### #######–### ######, ########## ############# ##### ### ####### binding ### sufficient, #### ############# # ######## requisite). ###### ##############, #### ###### ### ###### ## ####### #### #### ######, # ### ############## ###### ####### ############# #####.

########, ### ########, #### ### ## ##############, ########### #### # ### ## ###### ######### ### # ##### #######. # #######, ######, ############### ###–## # ###### ############ # ####### ######## ##### #### ###### ######### ### # ########## ###########, ######### ######### ####### ######### ### #####. ### ####### ######### ######### ###### ###### # ### ## ##### ####### ####### # ## ########## ########.

3.4.

######### #### ######## ############## ###### ####. ########, ### # ######, #### ##### ## ############# ##### ############ ########, ###### ###### ###### ###–#### ############### ######### ## ###### # ######## ##########.

1. #### ### ##########, ###### ######## ########## ########### ##### ########–### ## ### ############# ##### ## ##### ####### ############# root ### # ####–######### ############ root.

2. ###### ######## ####### ###_#####(3) ### ############# ########## ### # ##–##### ##### ####### # ####### ####### ######, # ##### ########### #######–#### ####### #######.

3. ###### ######## ######### ##########, ########### # ########## (#####, ### ### ############# ########## # ### #####, ## ####### ####### ######), # ######–#### ## # ### ### ###### ####### ###_###_####(3).

4. ###### ######## ####### ###_############(3) ### ############## ##########.

5. ###### ######## ####### ###_####_####(3) ### ######## ####, ### ########–### ####### ###### ######## # #########. #### ###### #####, ## ### #### #####, ###_####_####(3) ######### ######### PAM_NEW_AUTHTOK_REQD, # ## PAM_SUCCESS.

6. #### ## ########## #### ### ####### ######### PAM_NEW_AUTHTOK_REQD, ## ###### ######## ####### ###_#########(3) ### ####, ##### ######## ####### ######## #### ############## ### ########## ####### ######.

7. ######, ##### ######### ######### ################, ###### ######## ####### ###_#######(3) ### ######### ########## ########## ####### ######. ######## ### ########, ###### ### ## ######## ### ##########, # ######### ## ##### ###–####### ###########.

8. ##### ######### ########## ##########, ###### ######## ####### ###_####_#######(3) ### ############ ######.

9. ###### ###### ######### ### ######, ####### ########## ###############, ############# ########## ########.

10.##### ####, ### ###### ######## ############ #######, ## ######## ####### ###_#####_#######(3) ### ######## ######.

11.#######, ###### ######## ####### ###_###(3) ### ########## ########## ### # ###, ### ###### # ### ######### # ########## ########## # ####### ###### ####### ##### ##########.

4. #########

4.1. ##### #######

4.1.1. #### **/etc/pam.conf**

########### ###### ####### ### ######## /etc/pam.conf. ## ######## ### ######## ### ### ##### #######. ###### ###### ##### ######### #### ### # #######, ### ######## ####:

```
login   auth    required        pam_nologin.so  no_warn
```

#######: ### ######, ### ##########, ########## ####, ### ###### # ######### ######. ##### ############## #### ################ ### ##–########### ######### ######.

######/########## ############ ######### #######, # ##### ##–########, ###, #### ####### ########## ##### ### ##### # ### ## ###### # #####–

############ ###### ##############
(###)

########, ######## ############ ######### ######## ## ######. # ######## ## ############ ###### ## ### ###### ############ ############# ## ###########, # ############ # #######™ ##### pam.conf ###### ### # #######, ## # ########## ################ ##### ## ######## ######## ###### ######## #####–######## ## ########. ######## ##### ## #### ########; ### ##### #### # ### ## #####.

4.1.2. ####### **/etc/pam.d**

####### # ######### ############ ############## ######## #########, ######## ### ######## ######## ################. # #### ##### ###### ######## ########## # ######### ##### # ######, ############### #######, # ######## ### ############. ### ##### ########### # ######## /etc/pam.d/.

#######, ############### ## #######, ##### ###### ###### ####, ###–### #### ##### # ##### pam.conf: #### ##### ######## ########. ##### ########, ###### ######## ###### ##### pam.conf ## ########### ######## ######### ######### ###### # ##### /etc/pam.d/login:

```
auth    required        pam_nologin.so  no_warn
```

##########, ######## ############# ##### # ### ## ######## ### ########## ########, ######## ###### ### ######## # ### ## ##### ###### ########. # ########, ### ############## ### ## ##### ######## ### ######## su # sudo, ##### ######## #########:

```
# cd -/etc/pam.d
# ln --s su sudo
```

########, ###### ### ### ######## ############ ###### #####, # ## ### ###–###### # ##### ########, ### ### #### # ### ## #### ##### ############### ### ########## ######## # ######## ##########.

#####, ## ######## pam.d ###### ######### ############### ######## ### ########### ######## ######### ############# ##### ###### ########.

4.1.3. ######## ######

####, ######## ### ##### ########## # ########## ######. ### #####, #### ######## ### ###### # #### ## ######## ######## # ###### ######?

########## ########, ### ######## ############ ### ############## ## ########.

4.2. ######### ######

4.1, ###### ######## ####, ###### ###### ##### /etc/pam.conf ######## ## ######## ### ######## ########## #####: ##### ########, ##### #####–

#####, ############ #####, ##### ###### # ############## ########## ######, ##–##### ##### ##############.

(#### ## ######) ######## ###### ##########, ####### ##### ###### ###########. #### ## ## #######, ########## # ############ ## #######–#### ########## ### ########### ############# ##### #######.

########, ### #### ## ########### /etc/pam.d/ ###### /etc/pam.conf, ## ### ####### ##–###### ###### ##### ########, # ########## ## ##### #########, ####### # ##### ###### ########## # ######## ##########.

####, ######### # ###### 3.1, ########## # ##########.

####, ######### # ###### 3.3, ######## # #########, # ####### ##########, ### ################## ############ ## ###### ###. # ######### ############## ############## ######–###, ####### ######### ####### ########, ######### # ###### ######### ##### ########, ## ##### ####### ########, ### ### ## ## ######## ########## # ##### ###### ## ######## ############### ####### ######## # ######### (# ## #####–###### ########## ## ####### ############## # #######™ # #######). ## ######## ######### ### ####, ### # ####### #### ######### ## ##############.

4.3.

########, ### ########## ############# #######.

######, ##### ########## ######## ####### ###_#####(3), ########## ### #####–#### ######## ### ########## ####### # ########### ###### ####### ####### (## ##### ### ###### ##########). #### #### ### ####### ########## #### ####### ##–###### #######, ## ##### ########### ########### ############### ####### ## ######## ### ####### other.

###, ########## ### ######## ## ####### ###### ########## # ######## #######, ############### ###–####, # ###### ######, ############# # #######, # ### #######, # ##### ### ####–####### # ############. ##### ####### ######### # ####### #######, ### ###### # ############ ## #### ####### ### ########## ########## ############ ### ##–##, ### ###### ######. ## ########## ############, ####### ##### ####### ####, ########### ##### #######:

####### 1. ####### ####### ######### ####### ###

	PAM_SUCCESS	PAM_IGNORE	other
#######	## (!####) #####;	#	#### = ####;

############ ###### ###############
(###)

	PAM_SUCCESS	PAM_IGNORE	other
########	#	#	#### = ####;
#########	#	#	#### = ####; #####;
##########	## (!####) #####;	#	#
########	#	#	#

fail ######### ######## ######## # ##### ######### #######, ### ##### ######### #######, ######### ########## ### ######, ############ ###### #######, ############ ########. # ######### ###### ############ PAM_SUCCESS.

##, ### ### ###### PAM_NEW_AUTHTOK_REQD #####–########### ### ######## #########, ##### ######, ##### ###### ######### #####–##, # ## ####### #### #### ###### ######### PAM_NEW_AUTHTOK_REQD, ##### ###–###### ######### ######### PAM_NEW_AUTHTOK_REQD.

##, ### ###_#######(3) #######, ### ###### binding # sufficient ######## ############## required.

####### # ######### ########### ######## ##, ### ####### ###_#########(3) ##–########## ###### ####### ###### (#### ### ### ############### ########, # ### ### ### ######### ####### ######), # ## ################ #### ### #######, ### ###### binding # sufficient ######## ############## required.

5. ###### ### ##

5.1. ###_####(8)

###_####(8) ######## ##### ## ########## ######### #######; ## ##### ##–#### ## ########## ######### PAM_AUTH_ERR. ## ####### ### ######## ########## ####### (######## ### ## #### ###### #######) ### ########## ####### ####### sufficient.

5.2. ###_####(8)

###_####(8) ###### ######## #### ######### # ####### ############## ### ######### PAM_TEXT_INFO. # ######## ####### ### #######, ## ##### ##### ############## ### ###### #########, ##### ### ############# ###### #### ## ########### ## ####### ######### ##############.

5.3. ###_####(8)

###_####(8) ############ ###### ########## ### ######## ### ### ###–###### ### ##########, # ######### ######### ########## #### ######### # ####–

######. ##### ## ######### ########## ######## ### ############# ### ####### # ###### ########## # ####### ######### #########–### ######### ######## ############.

5.4. ###_########(8)

###_########(8)

5.5. ###_#####(8)

###_#####(8) ######### ### ######### ########## # ########## ## ## ######## # ############ ######## ###### (###### wheel ### ##(1)). # ###### ####### ############ ### ########## ############# ######### ####### ### ##(1), ##### ##### # ##### ###### ##########, ##### ### ########## ############ ##### ####–######### ## ########## #######.

5.6. ###_#####(8)

###_#####(8) ######### ############ ######## ##### # ############## ############# #### ##### # #######. ## ###### ##### ############# ######### ###########, ###### ######### ## ######### ######## #### ###### ###### ### ##–########## #####, ################ ######### #####. ###### ###_#####(8) ##### ##### ############ ### ########## ######### ###### ## ###.

5.7. ###_###5(8)

###_###5(8)

5.8. ###_###(8)

###_###(8)

5.9. ###_#######(8)

###_#######(8)

5.10. ###_#####_######(8)

###_#####_######(8) ############# ########## ######### ### ########## ######## ########, ####### ###### # ######## ########## ## ####, ########## # ####### #####.######(5).

5.11. ###_#######(8)

###_#######(8) ######### ##### ##### ## ############# ####, #### ####–###### #### /var/run/nologin. ###### #### #### ######### ######## ########(8), ##### ## ################ ########## ###### ####### ######## ##### #### #####.

############ ###### ##############
(###)

5.12. ###_####(8)

###_####(8) ######### ##### ############## ####(4). ####### ####(4) ##–
############, ### ####### ##### ## ###### ##–
#####, ### ### #####
#####, ####### ######## #####, ### #########
############# ########## ######. ##### ####, ### ### # ####(4) ####### ########
######, ##### ## ####### ### ######### #######, ### ##### ####–
######, ########## ## ####### ########.

5.13. ###_##########(8)

###_##########(8) ######### ###### ###_####(8). ### ######
###########, ########## ###### ##########(5), #######
#######, ### ####### ############, ######### ######### ############## ######–
####(4), ##### ############ ############## ######. #### ##### ## ######–
#######–
######.

###_##########(8) ###### #### ######### # ####### auth
requisite ##### ## ##### ###### sufficient ### ###_####(8), ## ##### ######
########.

5.14. ###_########(8)

###_########(8)

5.15. ###_######(8)

###_######(8) ######## ##### ## ##### ####### ## #########; ## ##### ##–
PAM_SUCCESS. ## ####### # ######## ###### ####### #####
########, ##### #### ### ####### ########## ####### # ######### ###### ####–
#######.

5.16. ###_######(8)

###_######(8)

5.17. ###_######(8)

###_######(8)

5.18. ###_######(8)

###_######(8) ########## ############# ######### # ### # ###### #
######, #### ######## ## ############ ########, ### ########## (###############,

#########) ##### 0. ### ####### ### ######### ########, ##### ### ##(1) ### ######(1), # ####### ############ root ###### ##### ############## ######.

5.19. ###_#########(8)

###_#########(8)

5.20. ###_####(8)

###_####(8) ########## ############# ######### ##### # ###### #####, ##–### ##### ########## ############# ####### ####### ######. ###### ##### ### ########## # ######### ########, ##### ### ##(1), # ####### ############# ##–######## ##### #### # ######### #########.

5.21. ###_###(8)

###_###(8) ############# ### ###### ##############, ### # ######. ###### ############## ######### #############, ####### ######### ##### ###, #######–### ########, # ##### ######### ~/.ssh, ################### ########## #### ##–#####. ######### ###### ######### #########(1) # ######### #####, ####### #### ############ ## #### ##############. ##### ###########, # #########, ####### ### ######### ###### # #######, ### # ####### # (########## ###(1) ### ####### ########## ######, ######## ######## # ###), ### # ## #######.

5.22. ###_#######(8)

###_#######(8)

5.23. ###_####(8)

###_####(8) ######### ############ ############## ####® ## ###### ##–#####, ############ ####### ########(3) ### ######### ###### ####### ####### ###### # ############ ## # ###, ### ########## #########. ## ##### ##########–## ######## ########## ######## ######## (########## ##### ######## ####### ###### # ######) # ##### #######. ########, ### ##### ######## ######, ### ### ########## ########## ############### ##### ######### ########## ######–##### ######### ## ####### #### ######### ########.

6. ################ ########## #

#######.

7. ################ ######

#######.

#. ######

##(1) # ############## ###. ##–######, ### # ### ########### ########## ### ####### ####### ############## #######_#######(3), ########## ####### ########## # ##### security/openpam.h. #### ## ########## ####### ### ########## # ####### # ###### ########## ###, ### ########## ##### ####### ########## ####### ###############. ######## ####–### ############## ########## ###### ########; ##, ### ######### # ########## #, ###### ######## ############### *PAM*, ###### # ######## ######### #####, ## # ##–###### ########## ############## ## #####.

```
/*-
 * Copyright (c) 2002,2003 Networks Associates Technology, Inc.
 * All rights reserved.
 *
 * This software was developed for the FreeBSD Project by ThinkSec AS and
 * Network Associates Laboratories, the Security Research Division of
 * Network Associates, Inc.  under DARPA/SPAWAR contract N66001-01-C-8035
 * ("CBOSS"), as part of the DARPA CHATS research program.
 *
 * Redistribution and use in source and binary forms, with or without
 * modification, are permitted provided that the following conditions
 * are met:
 * 1. Redistributions of source code must retain the above copyright
 *    notice, this list of conditions and the following disclaimer.
 * 2. Redistributions in binary form must reproduce the above copyright
 *    notice, this list of conditions and the following disclaimer in the
 *    documentation and/or other materials provided with the distribution.
 * 3. The name of the author may not be used to endorse or promote
 *    products derived from this software without specific prior written
 *    permission.
 *
 * THIS SOFTWARE IS PROVIDED BY THE AUTHOR AND CONTRIBUTORS ``AS IS'' AND
 * ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
 * IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR -
PURPOSE
 * ARE DISCLAIMED.  IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE
 * FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR -
CONSEQUENTIAL
 * DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE -
GOODS
 * OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
 * HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, -
STRICT
 * LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
 * OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
```

```
 * SUCH DAMAGE.
 *
 * $P4: -//depot/projects/openpam/bin/su/su.c#10 $
 * $FreeBSD: head/en_US.ISO8859-1/articles/pam/su.c 38826 2012-05-17 19:12:14Z hrs $
 */

#include <sys/param.h>
#include <sys/wait.h>

#include <err.h>
#include <pwd.h>
#include <stdio.h>
#include <stdlib.h>
#include <string.h>
#include <syslog.h>
#include <unistd.h>

#include <security/pam_appl.h>
#include <security/openpam.h> /* for openpam_ttyconv() */

extern char **environ;

static pam_handle_t *pamh;
static struct pam_conv pamc;

static void
usage(void)
{

 fprintf(stderr, -"Usage: su [login [args]]\n");
 exit(1);
}

int
main(int argc, char *argv[])
{
 char hostname[MAXHOSTNAMELEN];
 const char *user, *tty;
 char **args, **pam_envlist, **pam_env;
 struct passwd *pwd;
 int o, pam_err, status;
 pid_t pid;

 while ((o = getopt(argc, argv, -"h")) -!= --1)
  switch (o) {
  case -'h':
  default:
   usage();
  }

 argc --= optind;
 argv += optind;
```

```
if (argc > 0) {
 user = *argv;
 --argc;
 ++argv;
} else {
 user = -"root";
}

/* initialize PAM */
pamc.conv = &openpam_ttyconv;
pam_start("su", user, &pamc, &pamh);

/* set some items */
gethostname(hostname, sizeof(hostname));
if ((pam_err = pam_set_item(pamh, PAM_RHOST, hostname)) -!= PAM_SUCCESS)
 goto pamerr;
user = getlogin();
if ((pam_err = pam_set_item(pamh, PAM_RUSER, user)) -!= PAM_SUCCESS)
 goto pamerr;
tty = ttyname(STDERR_FILENO);
if ((pam_err = pam_set_item(pamh, PAM_TTY, tty)) -!= PAM_SUCCESS)
 goto pamerr;

/* authenticate the applicant */
if ((pam_err = pam_authenticate(pamh, 0)) -!= PAM_SUCCESS)
 goto pamerr;
if ((pam_err = pam_acct_mgmt(pamh, 0)) == PAM_NEW_AUTHTOK_REQD)
 pam_err = pam_chauthtok(pamh, PAM_CHANGE_EXPIRED_AUTHTOK);
if (pam_err -!= PAM_SUCCESS)
 goto pamerr;

/* establish the requested credentials */
if ((pam_err = pam_setcred(pamh, PAM_ESTABLISH_CRED)) -!= PAM_SUCCESS)
 goto pamerr;

/* authentication succeeded; open a session */
if ((pam_err = pam_open_session(pamh, 0)) -!= PAM_SUCCESS)
 goto pamerr;

/* get mapped user name; PAM may have changed it */
pam_err = pam_get_item(pamh, PAM_USER, (const void **)&user);
if (pam_err -!= PAM_SUCCESS -|| (pwd = getpwnam(user)) == NULL)
 goto pamerr;

/* export PAM environment */
if ((pam_envlist = pam_getenvlist(pamh)) -!= NULL) {
 for (pam_env = pam_envlist; *pam_env -!= NULL; ++pam_env) {
  putenv(*pam_env);
  free(*pam_env);
 }
 free(pam_envlist);
}
```

```
 /* build argument list */
 if ((args = calloc(argc + 2, sizeof *args)) == NULL) {
  warn("calloc()");
  goto err;
 }
 *args = pwd->pw_shell;
 memcpy(args + 1, argv, argc * sizeof *args);

 /* fork and exec */
 switch ((pid = fork())) {
 case --1:
  warn("fork()");
  goto err;
 case 0:
  /* child: give up privs and start a shell */

  /* set uid and groups */
  if (initgroups(pwd->pw_name, pwd->pw_gid) == --1) {
   warn("initgroups()");
   _exit(1);
  }
  if (setgid(pwd->pw_gid) == --1) {
   warn("setgid()");
   _exit(1);
  }
  if (setuid(pwd->pw_uid) == --1) {
   warn("setuid()");
   _exit(1);
  }
  execve(*args, args, environ);
  warn("execve()");
  _exit(1);
 default:
  /* parent: wait for child to exit */
  waitpid(pid, &status, 0);

  /* close the session and release PAM resources */
  pam_err = pam_close_session(pamh, 0);
  pam_end(pamh, pam_err);

  exit(WEXITSTATUS(status));
 }

pamerr:
 fprintf(stderr, -"Sorry\n");
err:
 pam_end(pamh, pam_err);
 exit(1);
}
```

#. ######

###_####(8), ############### ###### ####### ##############. ### ###### ######### # ######## # ############ ## ##–######## ###, ## ########## ########### ########## #######, #### ### ######–######: ######## ############ ####### ###_###_#######(3), ####### #########–## ######## ########### ##### ###### ##############.

```
/*-
 * Copyright (c) 2002 Networks Associates Technology, Inc.
 * All rights reserved.
 *
 * This software was developed for the FreeBSD Project by ThinkSec AS and
 * Network Associates Laboratories, the Security Research Division of
 * Network Associates, Inc.  under DARPA/SPAWAR contract N66001-01-C-8035
 * ("CBOSS"), as part of the DARPA CHATS research program.
 *
 * Redistribution and use in source and binary forms, with or without
 * modification, are permitted provided that the following conditions
 * are met:
 * 1. Redistributions of source code must retain the above copyright
 *    notice, this list of conditions and the following disclaimer.
 * 2. Redistributions in binary form must reproduce the above copyright
 *    notice, this list of conditions and the following disclaimer in the
 *    documentation and/or other materials provided with the distribution.
 * 3. The name of the author may not be used to endorse or promote
 *    products derived from this software without specific prior written
 *    permission.
 *
 * THIS SOFTWARE IS PROVIDED BY THE AUTHOR AND CONTRIBUTORS ``AS IS'' AND
 * ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
 * IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR -
PURPOSE
 * ARE DISCLAIMED.  IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE
 * FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR -
CONSEQUENTIAL
 * DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE -
GOODS
 * OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
 * HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, -
STRICT
 * LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
 * OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
 * SUCH DAMAGE.
 *
 * $P4: -//depot/projects/openpam/modules/pam_unix/pam_unix.c#3 $
 * $FreeBSD: head/en_US.ISO8859-1/articles/pam/pam_unix.c 38826 2012-05-17 19:12:14Z hrs $
 */

#include <sys/param.h>
```

```
#include <pwd.h>
#include <stdlib.h>
#include <stdio.h>
#include <string.h>
#include <unistd.h>

#include <security/pam_modules.h>
#include <security/pam_appl.h>

#ifndef _OPENPAM
static char password_prompt[] = -"Password:";
#endif

#ifndef PAM_EXTERN
#define PAM_EXTERN
#endif

PAM_EXTERN int
pam_sm_authenticate(pam_handle_t *pamh, int flags,
 int argc, const char *argv[])
{
#ifndef _OPENPAM
 struct pam_conv *conv;
 struct pam_message msg;
 const struct pam_message *msgp;
 struct pam_response *resp;
#endif
 struct passwd *pwd;
 const char *user;
 char *crypt_password, *password;
 int pam_err, retry;

 /* identify user */
 if ((pam_err = pam_get_user(pamh, &user, NULL)) -!= PAM_SUCCESS)
  return (pam_err);
 if ((pwd = getpwnam(user)) == NULL)
  return (PAM_USER_UNKNOWN);

 /* get password */
#ifndef _OPENPAM
 pam_err = pam_get_item(pamh, PAM_CONV, (const void **)&conv);
 if (pam_err -!= PAM_SUCCESS)
  return (PAM_SYSTEM_ERR);
 msg.msg_style = PAM_PROMPT_ECHO_OFF;
 msg.msg = password_prompt;
 msgp = &msg;
#endif
 for (retry = 0; retry < 3; ++retry) {
#ifdef _OPENPAM
  pam_err = pam_get_authtok(pamh, PAM_AUTHTOK,
      (const char **)&password, NULL);
#else
  resp = NULL;
```

```
  pam_err = (*conv->conv)(1, &msgp, &resp, conv->appdata_ptr);
  if (resp -!= NULL) {
   if (pam_err == PAM_SUCCESS)
    password = resp->resp;
   else
    free(resp->resp);
   free(resp);
  }
#endif
  if (pam_err == PAM_SUCCESS)
   break;
 }
 if (pam_err == PAM_CONV_ERR)
  return (pam_err);
 if (pam_err -!= PAM_SUCCESS)
  return (PAM_AUTH_ERR);

 /* compare passwords */
 if ((!pwd->pw_passwd[0] && (flags & PAM_DISALLOW_NULL_AUTHTOK)) -||
     (crypt_password = crypt(password, pwd->pw_passwd)) == NULL -||
     strcmp(crypt_password, pwd->pw_passwd) -!= 0)
  pam_err = PAM_AUTH_ERR;
 else
  pam_err = PAM_SUCCESS;
#ifndef _OPENPAM
 free(password);
#endif
 return (pam_err);
}

PAM_EXTERN int
pam_sm_setcred(pam_handle_t *pamh, int flags,
 int argc, const char *argv[])
{

 return (PAM_SUCCESS);
}

PAM_EXTERN int
pam_sm_acct_mgmt(pam_handle_t *pamh, int flags,
 int argc, const char *argv[])
{

 return (PAM_SUCCESS);
}

PAM_EXTERN int
pam_sm_open_session(pam_handle_t *pamh, int flags,
 int argc, const char *argv[])
{

 return (PAM_SUCCESS);
}
```

```
PAM_EXTERN int
pam_sm_close_session(pam_handle_t *pamh, int flags,
 int argc, const char *argv[])
{

 return (PAM_SUCCESS);
}

PAM_EXTERN int
pam_sm_chauthtok(pam_handle_t *pamh, int flags,
 int argc, const char *argv[])
{

 return (PAM_SERVICE_ERR);
}

#ifdef PAM_MODULE_ENTRY
PAM_MODULE_ENTRY("pam_unix");
#endif
```

#. ###### ####### ##############

####### ##############, ########## ####, ######## ########## ########## ###–#### ####### #######_#######(3) ## #######. ### ##################, # ###### ######### ########## #### # ###, ### ###### #### ##### ####### ##############, ###### ### ####### ###### ### ######## ##########. #### #### ## ## ########## #######, ###### ######## ######## ### # ############ #######_#######(3) # ###–## #####; ## ########, ### ### ########## ####### # ######## ####### ### ####–########## # ############# ############.

```
/*-
 * Copyright (c) 2002 Networks Associates Technology, Inc.
 * All rights reserved.
 *
 * This software was developed for the FreeBSD Project by ThinkSec AS and
 * Network Associates Laboratories, the Security Research Division of
 * Network Associates, Inc.  under DARPA/SPAWAR contract N66001-01-C-8035
 * ("CBOSS"), as part of the DARPA CHATS research program.
 *
 * Redistribution and use in source and binary forms, with or without
 * modification, are permitted provided that the following conditions
 * are met:
 * 1. Redistributions of source code must retain the above copyright
 *    notice, this list of conditions and the following disclaimer.
 * 2. Redistributions in binary form must reproduce the above copyright
 *    notice, this list of conditions and the following disclaimer in the
 *    documentation and/or other materials provided with the distribution.
```

```
 * 3. The name of the author may not be used to endorse or promote
 *    products derived from this software without specific prior written
 *    permission.
 *
 * THIS SOFTWARE IS PROVIDED BY THE AUTHOR AND CONTRIBUTORS ``AS IS'' AND
 * ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
 * IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR -
PURPOSE
 * ARE DISCLAIMED.  IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE
 * FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR -
CONSEQUENTIAL
 * DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE -
GOODS
 * OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
 * HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, -
STRICT
 * LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
 * OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
 * SUCH DAMAGE.
 *
 * $FreeBSD: head/en_US.ISO8859-1/articles/pam/converse.c 38826 2012-05-17 19:12:14Z hrs $
 */

#include <stdio.h>
#include <stdlib.h>
#include <string.h>
#include <unistd.h>

#include <security/pam_appl.h>

int
converse(int n, const struct pam_message **msg,
 struct pam_response **resp, void *data)
{
 struct pam_response *aresp;
 char buf[PAM_MAX_RESP_SIZE];
 int i;

 data = data;
 if (n <= 0 -|| n > PAM_MAX_NUM_MSG)
  return (PAM_CONV_ERR);
 if ((aresp = calloc(n, sizeof *aresp)) == NULL)
  return (PAM_BUF_ERR);
 for (i = 0; i < n; ++i) {
  aresp[i].resp_retcode = 0;
  aresp[i].resp = NULL;
  switch (msg[i]->msg_style) {
  case PAM_PROMPT_ECHO_OFF:
   aresp[i].resp = strdup(getpass(msg[i]->msg));
   if (aresp[i].resp == NULL)
    goto fail;
   break;
  case PAM_PROMPT_ECHO_ON:
```

```
  fputs(msg[i]->msg, stderr);
  if (fgets(buf, sizeof buf, stdin) == NULL)
   goto fail;
  aresp[i].resp = strdup(buf);
  if (aresp[i].resp == NULL)
   goto fail;
  break;
 case PAM_ERROR_MSG:
  fputs(msg[i]->msg, stderr);
  if (strlen(msg[i]->msg) > 0 &&
      msg[i]->msg[strlen(msg[i]->msg) -- 1] -!= -'\n')
   fputc('\n', stderr);
  break;
 case PAM_TEXT_INFO:
  fputs(msg[i]->msg, stdout);
  if (strlen(msg[i]->msg) > 0 &&
      msg[i]->msg[strlen(msg[i]->msg) -- 1] -!= -'\n')
   fputc('\n', stdout);
  break;
 default:
  goto fail;
 }
}
*resp = aresp;
return (PAM_SUCCESS);
fail:
      for (i = 0; i < n; ++i) {
            if (aresp[i].resp -!= NULL) {
                  memset(aresp[i].resp, 0, strlen(aresp[i].resp));
                  free(aresp[i].resp);
            -}
      -}
      memset(aresp, 0, n * sizeof *aresp);
*resp = NULL;
return (PAM_CONV_ERR);
}
```

######

[1] *Making Login Services Independent of Authentication Technologies*. ##### ##### ####### ###. ### ############.

[2] *X/Open Single Sign-on Preliminary Specification*. ### #### #####. 1#85912#144#6. #### 1997.

[3] *Pluggable Authentication Modules*. ###### #. ######. 6 ####### 1999.

###########

[4] *PAM Administration*. ### ###########.

########

[5] *######## ######## OpenPAM*. ########## ########. ######## ##.

[6] *######## ######## Linux-PAM*. ###### #. ######.

[7] *######## ######## Solaris PAM*. ### ############.